Index to volume 119

*Author index**

A

Ahn S-J, Kim J-T, Nahm D-S. Cephalometric markers to consider in the treatment of Class II Division 1 malocclusion with the bionator. 2001;119:578-86
Akca K (*see* Kocadereli et al). 2001;119:617-20
Alhashimi N, Frithiof L, Brudvik P, Bakhiet M. Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines. 2001;119:307-12
Arat ZM, Gökalp H, Erdem D, Erden I. Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study. 2001;119:316-9
Årtun J, Grobéty D. Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation. 2001;119:2-10

B

Bakhiet M (*see* Alhashimi et al). 2001;119:307-12
Bays RA (*see* Chung et al). 2001;119:382-9
Beck FM (*see* Wilhelm et al). 2001;119:401-5
Beele H (*see* Laureys et al). 2001;119:346-52
Bishara SE, Von Wald L, Laffoon JF, Warren JJ. Effect of using a self-etch primer/adhesive on the shear bond strength of orthodontic brackets. 2001;119:621-4
Bishara SE (*see* Warren and Bishara). 2001;119:211-5
Braun S, Hnat WP, Hnat TW, Legan HL. Taking the guesswork out of mandibular symphyseal distraction osteogenesis. 2001;119:121-6
Brudvik P (*see* Alhashimi et al). 2001;119:307-12
Buschang PH (*see* Mojdehi et al). 2001;119:106-16

C

Cacciafesta V (*see* Sfondrini et al). 2001;119:30-5
Canay S (*see* Kocadereli et al). 2001;119:617-20
Cangialosi TJ (*see* Santoro et al). 2001;119:587-93
Cangialosi TJ (*see* Santoro et al). 2001;119:594-603
Carlson SK, Johnson E. Bracket positioning and reset: five steps to align crowns and roots consistently. 2001;119:76-80 (Clin. corner)
Carlsson L (*see* Hellekant et al). 2001;119:654-9 (Case rep.)
Case S. ASP: an idea before its time—or is it time? 2001;119:452-4
Chen LIJ (*see* Liou et al). 2001;119:443-9 (Clin. corner)
Chun Y-S (*see* Rhee et al). 2001;119:292-9
Chung DH, Hatch JP, Dolce C, Van Sickels JE, Bays RA, Rugh JD. Positional change of the hyoid bone after bilateral sagittal split osteotomy with rigid and wire fixation. 2001;119:382-9
Ciambotti C, Ngan P, Durkee M, Kohli K, Kim H. A comparison of dental and dentoalveolar changes between rapid palatal expansion and nickel-titanium palatal expansion appliances. 2001;119:11-20
Clark WJ (*see* Singh and Clark). 2001;119:419-25
Combe EC (*see* Grandhi et al). 2001;119:251-5
Cornelissen R (*see* Laureys et al). 2001;119:346-52
Crow V (*see* Orton-Gibbs et al). 2001;119:226-38

D

da Rosa Martins JC (*see* Gandini et al). 2001;119:531-9
de Freitas MR (*see* Janson et al). 2001;119:406-18
Del Santo M Jr (*see* Gandini et al). 2001;119:531-9
Derakhshan M, Sadowsky C. A relatively minor adult case becomes significantly complex: a lesson in humility. 2001;119:546-53 (Case rep.)
Dermaut L (*see* Laureys et al). 2001;119:346-52
Dolce C (*see* Chung et al). 2001;119:382-9
Duncanson MG Jr (*see* Webster et al). 2001;119:54-8
Durkee M (*see* Ciambotti et al). 2001;119:11-20

E

Eliades G (*see* Eliades et al). 2001;119:300-6
Eliades T, Eliades G, Watts DC. Intraoral aging of the inner headgear component: a potential biocompatibility concern? 2001;119:300-6
English JD (*see* Mojdehi et al). 2001;119:106-16
Erdem D (*see* Arat et al). 2001;119:316-9
Erden I(*see* Arat et al). 2001;119:316-9
Espeland L (*see* Mobarak et al). 2001;119:353-67
Espeland L (*see* Mobarak et al). 2001;119:368-81

F

Faulkner G (*see* Raboud et al). 2001;119:21-9
Ferguson DJ (*see* Held et al). 2001;119:472-81
Fiona HF (*see* Parkin et al). 2001;119:572-7
Fjellvang H (*see* Kjær and Fjellvang). 2001;119:83 (In memoriam)
Foley TF (*see* Palleck et al). 2001;119:426-35
Foley TF (*see* Rix et al). 2001;119:36-42
Frithiof L (*see* Alhashimi et al). 2001;119:307-12

G

Gallo MW (*see* Held et al). 2001;119:472-81
Gandini LG Jr (*see* Gandini et al). 2001;119:531-9
Gandini MREAS, Gandini LG Jr, da Rosa Martins JC, Del Santo M Jr. Effects of cervical headgear and edgewise appliances on growing patients. 2001;119:531-9
Glover KE (*see* Stewart et al). 2001;119:216-25
Gökalp H (*see* Arat et al). 2001;119:316-9
Grandhi RK, Combe EC, Speidel TM. Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer. 2001;119:251-5
Grobéty D (*see* Årtun and Grobéty). 2001;119:2-10

H

Haberstock D (*see* Raboud et al). 2001;119:21-9
Hägg EU (*see* Rabie et al). 2001;119:390-400
Halazonetis DJ. Acquisition of 3-dimensional shapes from images. 2001;119:556-60
Halazonetis DJ (*see* Spyropoulos and Halazonetis). 2001;119:464-71
Hall-Scott J (*see* Palleck et al). 2001;119:426-35
Hatch JP (*see* Chung et al). 2001;119:382-9
Held CL, Ferguson DJ, Gallo MW. Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification. 2001;119:472-81
Hellekant M, Twetman S, Carlsson L. Treatment of a Class II Division 1 malocclusion with macrodontia of the maxillary central incisors. 2001;119:654-9 (Case rep.)
Henderson S (*see* Oesterle et al). 2001;119:625-31
Heo G (*see* Stewart et al). 2001;119:216-25
Hnat TW (*see* Braun et al). 2001;119:121-6
Hnat WP (*see* Braun et al). 2001;119:121-6
Hoggan BR, Sadowsky C. The use of palatal rugae for the assessment of anteroposterior tooth movements. 2001;119:482-8
Huang CS (*see* Liou et al). 2001;119:443-9 (Clin. corner)
Hübsch PF (*see* Knox et al). 2001;119:43-53
Huggare J (*see* Paulsen et al). 2001;119:338-45

I

Iida J (*see* Kajii et al). 2001;119:245-50
Imai T (*see* Kajii et al). 2001;119:245-50

J

Janson GRP, Metaxas A, Woodside DG, de Freitas MR, Pinzan A. Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions. 2001;119:406-18
Jeon PD, Turley PK, Ting K. Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss. 2001;119:498-504
Jerrold L. An affair to remember. 2001;119:327-9 (Litigation/legis./ethics)
Jerrold L. Before, during, and after. 2001;119:561-2 (Litigation/legis./ethics)
Jerrold L. Informed consent and contributory negligence. 2001;119:85-7 (Litigation/legis./ethics)
Jerrold L. Sticks and stones. 2001;119:455-6 (Litigation/legis./ethics)
Jerrold L. Subsequent remedial measures. 2001;119:669-71 (Litigation/legis./ethics)

*January, pp. 1-90; February, pp. 91-200; March, pp. 201-334; April, pp. 335-462; May, pp. 463-570; June, pp. 571-690.

Johnson E (*see* Carlson and Johnson). 2001;119:76-80 (Clin. corner)
Jones ML (see Knox et al). 2001;119:43-53

K

Kajii S (*see* Kajii et al). 2001;119:245-50
Kajii T, Imai T, Kajii S, Iida J. Presence of third molar germs in orthodontic patients in Japan. 2001;119:245-50
Kang DS (*see* Silva and Kang). 2001;119:313-5
Kanomi R (*see* Ohmae et al). 2001;119:489-97
Karmanska B (*see* Langowska-Adamczyk and Karmanska). 2001;119:67-70
Karras SC (*see* Wolford et al). 2001;119:95-101 (Clinical rev.)
Karras SC (*see* Wolford et al). 2001;119:102-5 (Clinical rev.)
Kenworthy CR, Larson BE. Incorporating retained deciduous teeth in orthodontic therapy. 2001;119:202-10 (Case rep.)
Kenworthy CR, Sheats RD. A bonded functional ramp to aid in asymmetric expansion of unilateral posterior crossbites. 2001;119:320-2 (Clin. corner)
Khajotia SS (*see* Webster et al). 2001;119:54-8
Kho H-S (*see* Lee et al). 2001;119:59-66
Killiany DM (*see* Rana et al). 2001;119:516-21
Kim H (*see* Ciambotti et al). 2001;119:11-20
Kim J-T (*see* Ahn et al). 2001;119:578-86
Kim K-R, Muhl ZF. Changes in mandibular growth direction during and after cervical headgear treatment. 2001;119:522-30
Kjær I, Fjellvang H. Professor Beni Solow, 1934-2000. 2001;119:83 (In memoriam)
Kluemper GT, White DK, Slevin JT. Chronic fissural cheilitis: a manifestation of anterior crowding. 2001;119:71-5 (Case rep.)
Knox J, Kralj B, Hübsch PF, Middleton J, Jones ML. An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model. 2001;119:43-53
Kocadereli I, Canay S, Akca K. Tensile bond strength of ceramic orthodontic brackets bonded to porcelain surfaces. 2001;119:617-20
Kohli K (*see* Ciambotti et al). 2001;119:11-20
Kralj B (*see* Knox et al). 2001;119:43-53
Krogstad O (*see* Mobarak et al). 2001;119:353-67
Krogstad O (*see* Mobarak et al). 2001;119:368-81
Kuftinec MM (*see* Shapira and Kuftinec). 2001;119:127-34
Kuftinec MM (*see* Shapira et al). 2001;119:540-5
Kusy RP, Mims L, Whitley JQ. Mechanical characteristics of various tempers of as-received cobalt-chromium archwires. 2001;119:274-91

L

Laffoon JF (*see* Bishara et al). 2001;119:621-4
Lam EWN (*see* Stewart et al). 2001;119:216-25
Langowska-Adamczyk H, Karmanska B. Similar locations of impacted and supernumerary teeth in monozygotic twins: a report of 2 cases. 2001;119:67-70
Larson BE (*see* Kenworthy and Larson). 2001;119:202-10 (Case rep.)
Laureys W, Beele H, Cornelissen R, Dermaut L. Revascularization after cryopreservation and autotransplantation of immature and mature apicoectomized teeth. 2001;119:346-52
Lee S-J, Kho H-S, Lee S-W, Yang W-S. Experimental salivary pellicles on the surface of orthodontic materials. 2001;119:59-66
Lee S-W (*see* Lee et al). 2001;119:59-66
Legan HL (*see* Braun et al). 2001;119:121-6
Lidral AC (*see* Wilhelm et al). 2001;119:401-5
Liou EJW, Chen LIJ, Huang CS. Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding. 2001;119:443-9 (Clin. corner)
Lipsett B (*see* Raboud et al). 2001;119:21-9
Lyberg T (*see* Mobarak et al). 2001;119:353-67
Lyberg T (*see* Mobarak et al). 2001;119:368-81

M

Major PW (*see* Stewart et al). 2001;119:216-25
Maki K (*see* Yamaguchi et al). 2001;119:650-3
Mamandras A (*see* Rix et al). 2001;119:36-42
Marcel TJ. Three-dimensional on-screen virtual models. 2001;119:666-8
Mehra P (*see* Wolford et al). 2001;119:95-101 (Clinical rev.)
Mehra P (*see* Wolford et al). 2001;119:102-5 (Clinical rev.)
Meling TR, Odegaard J. The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending. 2001;119:263-73
Metaxas A (*see* Janson et al). 2001;119:406-18
Middleton J (*see* Knox et al). 2001;119:43-53
Mims L (*see* Kusy et al). 2001;119:274-91
Mobarak KA, Espeland L, Krogstad O, Lyberg T. Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses. 2001;119:368-81
Mobarak KA, Espeland L, Krogstad O, Lyberg T. Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome. 2001;119:353-67
Mojdehi M, Buschang PH, English JD, Wolford LM. Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern. 2001;119:106-16
Morohashi T (*see* Ohmae et al). 2001;119:489-97
Mouakeh M. Cephalometric evaluation of craniofacial pattern of Syrian children with Class III malocclusion. 2001;119:640-9
Muhl ZF (*see* Kim and Muhl). 2001;119:522-30
Muraviev SE, Ospanova GB, Shlyakhova MY. Estimation of force produced by nickel-titanium superelastic arch wires at large deflections. 2001;119:604-9

N

Nahm D-S (*see* Ahn et al). 2001;119:578-86
Nanda RS (*see* Webster et al). 2001;119:54-8
Newman GV, Newman RA, Sengupta AK. Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system. 2001;119:256-62
Newman RA (*see* Newman et al). 2001;119:256-62
Newman SM (*see* Oesterle et al). 2001;119:610-6
Ngan P (*see* Ciambotti et al). 2001;119:11-20
Nicolay OF (*see* Santoro et al). 2001;119:587-93
Nicolay OF (*see* Santoro et al). 2001;119:594-603

O

Odegaard J (*see* Meling and Odegaard). 2001;119:263-73
Oesterle LJ, Newman SM, Shellhart WC. Rapid curing of bonding composite with a xenon plasma arc light. 2001;119:610-6
Oesterle LJ, Shellhart WC, Henderson S. Enhancing wire-composite bond strength of bonded retainers with wire surface treatment. 2001;119:625-31
Ohmae M, Saito S, Morohashi T, Seki K, Qu H, Kanomi R, Yamasaki K-i, Okano T, Yamada S, Shibasaki Y. A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog. 2001;119:489-97
Okano T (*see* Ohmae et al). 2001;119:489-97
Orton-Gibbs S, Crow V, Orton HS. Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size. 2001;119:226-38
Orton-Gibbs S, Orton S, Orton H. Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status. 2001;119:239-44
Orton H (*see* Orton-Gibbs et al). 2001;119:239-44
Orton HS (*see* Orton-Gibbs et al). 2001;119:226-38
Orton S (*see* Orton-Gibbs et al). 2001;119:239-44
Ospanova GB (*see* Muraviev et al). 2001;119:604-9

P

Pae E-K (*see* Song and Pae). 2001;119:436-42
Palleck S, Foley TF, Hall-Scott J. The reliability of 3 sagittal reference planes in the assessment of Class I and Class III treatment. 2001;119:426-35
Parkhouse PSJ (*see* Parkhouse and Parkhouse). 2001;119:632-9
Parkhouse RC, Parkhouse PSJ. The "Tip-Edge" torquing mechanism: A mathematical validation. 2001;119:632-9
Parkin NA, Fiona HF, Sandler PJ. Comparison of two modifications of the Twin-block appliance in matched Class II samples. 2001;119:572-7
Paulsen HU. Autotransplantation of teeth in orthodontic treatment. 2001;119:336-7 (Commentary)
Paulsen HU, Shi X-Q, Welander U, Huggare J, Scheutz F. Eruption pattern of autotransplanted premolars visualized by radiographic color-coding. 2001;119:338-45
Pessa JE. The potential role of stereolithography in the study of facial aging. 2001;119:117-20
Pinzan A (*see* Janson et al). 2001;119:406-18

Pistorio A (*see* Sfondrini et al). 2001;119:30-5
Pothisiri V (*see* Rana et al). 2001;119:516-21

Q

Qu H (*see* Ohmae et al). 2001;119:489-97

R

Rabie ABM, Zhao Z, Shen G, Hägg EU, Robinson W. Osteogenesis in the glenoid fossa in response to mandibular advancement. 2001;119:390-400
Raboud D, Faulkner G, Lipsett B, Haberstock D. Three-dimensional force systems from vertically activated orthodontic loops. 2001;119:21-9
Rana MW-u-Z, Pothisiri V, Killiany DM, Xu XM. Detection of apoptosis during orthodontic tooth movement in rats. 2001;119:516-21
Rhee J-N, Chun Y-S, Row J. A comparison between friction and frictionless mechanics with a new typodont simulation system. 2001;119:292-9
Rinchuse DJ, Rinchuse DJ. The use of educational-psychological principles in orthodontic practice. 2001;119:660-3 (Clin. corner)
Rinchuse DJ (*see* Rinchuse and Rinchuse). 2001;119:660-3 (Clin. corner)
Rix D, Foley TF, Mamandras A. Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC. 2001;119:36-42
Robinson W (*see* Rabie et al). 2001;119:390-400
Ross B. The orthodontist and complex craniofacial anomalies. 2001;119:92-4 (Commentary)
Row J (*see* Rhee et al). 2001;119:292-9
Rugh JD (*see* Chung et al). 2001;119:382-9
Rygh P, Kaare Reitan, 1903-2000. 2001;119:196 (In memoriam)

S

Sabri R. Treatment of a Class II Division 2 malocclusion with space reopening for a single-tooth implant. 2001;119:135-42 (Case rep.)
Sadowsky C (*see* Derakhshan and Sadowsky). 2001;119:546-53 (Case rep.)
Sadowsky C (*see* Hoggan and Sadowsky). 2001;119:482-8
Saito S (*see* Ohmae et al). 2001;119:489-97
Sameshima GT, Sinclair PM. Predicting and preventing root resorption: part I. Diagnostic factors. 2001;119:505-10
Sameshima GT, Sinclair PM. Predicting and preventing root resorption: part II. Treatment factors. 2001;119:511-5
Sandler PJ (*see* Parkin et al). 2001;119:572-7
Santoro M, Nicolay OF, Cangialosi TJ. Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges. 2001;119:587-93
Santoro M, Nicolay OF, Cangialosi TJ. Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces. 2001;119:594-603
Scheutz F (*see* Paulsen et al). 2001;119:338-45
Scholz RP. A new direction for Ortho Bytes. 2001;119:84
Scholz RP. Orthodontic technolocity. 2001;119:325-6
Seki K (*see* Ohmae et al). 2001;119:489-97
Sengupta AK (*see* Newman et al). 2001;119:256-62
Sfondrini G (*see* Sfondrini et al). 2001;119:30-5
Sfondrini MF, Cacciafesta V, Pistorio A, Sfondrini G. Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer. 2001;119:30-5
Shapira Y, Kuftinec MM. Maxillary tooth transpositions: characteristic features and accompanying dental anomalies. 2001;119:127-34
Shapira Y, Kuftinec MM, Stom D. A unique treatment approach for maxillary canine-lateral incisor transposition. 2001;119:540-5
Sheats RD (*see* Kenworthy and Sheats). 2001;119:320-2 (Clin. corner)
Shellhart WC (*see* Oesterle et al). 2001;119:610-6
Shellhart WC (*see* Oesterle et al). 2001;119:625-31
Shen G (*see* Rabie et al). 2001;119:390-400
Shi X-Q (*see* Paulsen et al). 2001;119:338-45
Shibasaki Y (*see* Ohmae et al). 2001;119:489-97
Shibasaki Y (*see* Yamaguchi et al). 2001;119:650-3
Shlyakhova MY (*see* Muraviev et al). 2001;119:604-9
Silva RG, Kang DS. Prevalence of malocclusion among Latino adolescents. 2001;119:313-5
Sinclair PM (*see* Sameshima and Sinclair). 2001;119:505-10
Sinclair PM (*see* Sameshima and Sinclair). 2001;119:511-5
Singh GD, Clark WJ. Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis. 2001;119:419-25
Sinha PK (*see* Webster et al). 2001;119:54-8
Slevin JT (*see* Kluemper et al). 2001;119:71-5 (Case rep.)
Song H-G, Pae E-K. Changes in orofacial muscle activity in response to changes in respiratory resistance. 2001;119:436-42
Speidel TM (*see* Grandhi et al). 2001;119:251-5
Spyropoulos MN, Halazonetis DJ. Significance of the soft tissue profile on facial esthetics. 2001;119:464-71
Stewart JA, Heo G, Glover KE, Williamson PC, Lam EWN, Major PW. Factors that relate to treatment duration for patients with palatally impacted maxillary canines. 2001;119:216-25
Stom D (*see* Shapira et al). 2001;119:540-5

T

Ting K (*see* Jeon et al). 2001;119:498-504
Turley PK (*see* Jeon et al). 2001;119:498-504
Turpin DL. Creating a professional community—Online. 2001;119:463 (Editorial)
Turpin DL. Interdisciplinary care leads the way. 2001;119:335 (Editorial)
Turpin DL. Long-term online search capabilities stymied. 2001;119:571 (Editorial)
Turpin DL. Orthodontics 2001—The Next Odyssey. 2001;119:91 (Editorial)
Turpin DL. Where has all the arch length gone? 2001;119:201 (Editorial)
Turpin DL. Who moved my membership? 2001;119:1 (Editorial)
Twetman S (*see* Hellekant et al). 2001;119:654-9 (Case rep.)

V

Van Sickels JE (*see* Chung et al). 2001;119:382-9
Vig KWL (*see* Wilhelm et al). 2001;119:401-5
Von Wald L (*see* Bishara et al). 2001;119:621-4

W

Warren JJ, Bishara SE. Comparison of dental arch measurements in the primary dentition between contemporary and historic samples. 2001;119:211-5
Warren JJ (*see* Bishara et al). 2001;119:621-4
Watts DC (*see* Eliades et al). 2001;119:300-6
Webster MJ, Nanda RS, Duncanson MG Jr, Khajotia SS, Sinha PK. The effect of saliva on shear bond strengths of hydrophilic bonding systems. 2001;119:54-8
Welander U (*see* Paulsen et al). 2001;119:338-45
White DK (*see* Kluemper et al). 2001;119:71-5 (Case rep.)
Whitley JQ (*see* Kusy et al). 2001;119:274-91
Wilhelm BM, Beck FM, Lidral AC, Vig KWL. A comparison of cranial base growth in Class I and Class II skeletal patterns. 2001;119:401-5
Williamson PC (*see* Stewart et al). 2001;119:216-25
Wolford LM, Karras SC, Mehra P. Considerations for orthognathic surgery during growth. Part 1: mandibular deformities. 2001;119:95-101 (Clinical rev.)
Wolford LM, Karras SC, Mehra P. Considerations for orthognathic surgery during growth. Part 2: maxillary deformities. 2001;119:102-5 (Clinical rev.)
Wolford LM (*see* Mojdehi et al). 2001;119:106-16
Woodside DG (*see* Janson et al). 2001;119:406-18

X

Xu XM (*see* Rana et al). 2001;119:516-21

Y

Yamada S (*see* Ohmae et al). 2001;119:489-97
Yamaguchi T, Maki K, Shibasaki Y. Growth hormone receptor gene variant and mandibular height in the normal Japanese population. 2001;119:650-3
Yamasaki K-i (*see* Ohmae et al). 2001;119:489-97
Yang W-S (*see* Lee et al). 2001;119:59-66

Z

Zhao Z (*see* Rabie et al). 2001;119:390-400

*Subject index**

A

Abrasion
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44

Abstracts
Abstracts. 2001;119:88, 197-8, 330, 457, 563-6

Acid etching
Effect of using a self-etch primer/adhesive on the shear bond strength of orthodontic brackets (Bishara et al). 2001;119:211-5

Activator appliances
Cephalometric markers to consider in the treatment of Class II Division 1 malocclusion with the bionator (Ahn et al). 2001;119:578-86
Three-dimensional force systems from vertically activated orthodontic loops (Raboud et al). 2001;119:21-9

Adhesives
Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62
Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42
The effect of saliva on shear bond strengths of hydrophilic bonding systems (Webster et al). 2001;119:54-8
Effect of using a self-etch primer/adhesive on the shear bond strength of orthodontic brackets (Bishara et al). 2001;119:621-4
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5
An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model (Knox et al). 2001;119:43-53

Adolescence
Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation (Årtun and Grobéty). 2001;119:2-10
Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern (Mojdehi et al). 2001;119:106-16
Prevalence of malocclusion among Latino adolescents (Silva and Kang). 2001;119:313-5
Treatment of a Class II Division 2 malocclusion with space reopening for a single-tooth implant (Sabri). 2001;119:135-42 (Case rep.)

Aging
Intraoral aging of the inner headgear component: a potential biocompatibility concern? (Eliades et al). 2001;119:300-6
The potential role of stereolithography in the study of facial aging (Pessa). 2001;119:117-20

Airway resistance
Changes in orofacial muscle activity in response to changes in respiratory resistance (Song and Pae). 2001;119:436-42

Alloys
Intraoral aging of the inner headgear component: a potential biocompatibility concern? (Eliades et al). 2001;119:300-6
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91
Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93
Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces (Santoro et al). 2001;119:594-603

Alveolar bone loss
Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504

American Association of Orthodontists
Directory: AAO Officers and Organizations. 2001;119:90, 200, 334, 462, 570
Orthodontics 2001—The Next Odyssey (Turpin). 2001;119:91 (Editorial)
Who moved my membership? (Turpin). 2001;119:1 (Editorial)

American Board of Orthodontists
Directory: AAO Officers and Organizations. 2001;119:90, 200, 334, 462, 570

American Journal of Orthodontics and Dentofacial Orthopedics
Interdisciplinary care leads the way (Turpin). 2001;119:335 (Editorial)
A new direction for Ortho Bytes (Scholz). 2001;119:84
Orthodontics 2001—The Next Odyssey (Turpin). 2001;119:91 (Editorial)
Who moved my membership? (Turpin). 2001;119:1 (Editorial)

Analog-digital conversion
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81

Analysis of variance
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25

Animal models
A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog (Ohmae et al). 2001;119:489-97
Detection of apoptosis during orthodontic tooth movement in rats (Rana et al). 2001;119:516-21

Anodontia
Incorporating retained deciduous teeth in orthodontic therapy (Kenworthy and Larson). 2001;119:202-10 (Case rep.)

Apicoectomy
Revascularization after cryopreservation and autotransplantation of immature and mature apicoectomized teeth (Laureys et al). 2001;119:346-52

Apoptosis
Detection of apoptosis during orthodontic tooth movement in rats (Rana et al). 2001;119:516-21

Appliances; *see* Orthodontic appliances

Application service provider
ASP: an idea before its time—or is it time? (Case). 2001;119:452-4

Archwires; *see* Orthodontic wires

ASP; *see* Application service provider

Autotransplantation; *see* Transplantation, autologous

B

Bending
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73

Bicuspid; *see* Premolar

Bilateral split osteotomy; *see* Osteotomy

Biocompatible materials
Intraoral aging of the inner headgear component: a potential biocompatibility concern? (Eliades et al). 2001;119:300-6

Bionator; *see* Activator appliances

Bond strength
Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62
Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42
The effect of saliva on shear bond strengths of hydrophilic bonding systems (Webster et al). 2001;119:54-8
Effect of using a self-etch primer/adhesive on the shear bond strength of orthodontic brackets (Bishara et al). 2001;119:621-4
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5
An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model (Knox et al). 2001;119:43-53
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

*January, pp. 1-90; February, pp. 91-200; March, pp. 201-334; April, pp. 335-462; May, pp. 463-570; June, pp. 571-690.

Tensile bond strength of ceramic orthodontic brackets bonded to porcelain surface (Kocadereli et al). 2001;119:617-20

Bonding
Enhancing wire-composite bond strength of bonded retainers with wire surface treatment (Oesterle et al). 2001;119:625-31
Rapid curing of bonding composite with a xenon plasma arc light (Oesterle et al). 2001;119:610-6

Bone remodeling
Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines (Alhashimi et al). 2001;119:307-12

Bone resorption
Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines (Alhashimi et al). 2001;119:307-12

Bones, growth and development
Changes in mandibular growth direction during and after cervical headgear treatment (Kim and Muhl). 2001;119:522-30
A comparison of cranial base growth in Class I and Class II skeletal patterns (Wilhelm et al). 2001;119:401-5
Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9
Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25

Brackets; *see* Orthodontic brackets

C

Canine tooth
A comparison between friction and frictionless mechanics with a new typodont simulation system (Rhee et al). 2001;119:292-9
Factors that relate to treatment duration for patients with palatally impacted maxillary canines (Stewart et al). 2001;119:216-25
A relatively minor adult case becomes significantly complex: a lesson in humility (Derakhshan and Sadowsky). 2001;119:546-53 (Case rep.)
A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5

Case reports
Case reports. 2001;119:71-5, 135-42, 202-10, 546-53

Cements
Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62
Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5

Centric relation
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50

Cephalometry
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81
Cephalometric evaluation of craniofacial pattern of Syrian children with Class III malocclusion (Mouakeh). 2001;119:640-9
A comparison of cranial base growth in Class I and Class II skeletal patterns (Wilhelm et al). 2001;119:401-5
Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001;119:368-81
The reliability of 3 sagittal reference planes in the assessment of Class I and Class III treatment (Palleck et al). 2001;119:426-35
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67
Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18
The use of palatal rugae for the assessment of anteroposterior tooth movements (Hoggan and Sadowsky). 2001;119:482-8

Ceramics
Tensile bond strength of ceramic orthodontic brackets bonded to porcelain surface (Kocadereli et al). 2001;119:617-20

Cervical headgear; *see* Extraoral traction appliances

Cheilitis
Chronic fissural cheilitis: a manifestation of anterior crowding (Kluemper et al). 2001;119:71-5 (Case rep.)

Child
Cephalometric evaluation of craniofacial pattern of Syrian children with Class III malocclusion (Mouakeh). 2001;119:640-9
Comparison of dental arch measurements in the primary dentition between contemporary and historic samples (Warren and Bishara). 2001;119:211-5
Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25
Similar locations of impacted and supernumerary teeth in monozygotic twins: a report of 2 cases (Łangowska-Adamczyk and Karmańska). 2001;119:67-70

Chromium alloys
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91

Class II malocclusion; *see* Malocclusion, Angle Class II

Clinician's corner
Clinician's corner. 2001;119:76-80, 320-2, 443-9

Cobalt
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91

Color-coding
Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45

Commentaries
Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001;119:336-7
The orthodontist and complex craniofacial anomalies (Ross). 2001;119:92-4

Composite resins
Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62
Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42
The effect of saliva on shear bond strengths of hydrophilic bonding systems (Webster et al). 2001;119:54-8
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5
Enhancing wire-composite bond strength of bonded retainers with wire surface treatment (Oesterle et al). 2001;119:625-31
Rapid curing of bonding composite with a xenon plasma arc light (Oesterle et al). 2001;119:610-6
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

Computers
Acquisition of 3-dimensional shapes from images (Halazonetis). 2001;119:556-60
ASP: an idea before its time—or is it time? (Case). 2001;119:452-4
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81
Creating a professional community—Online (Turpin). 2001;119:463 (Editorial)
Long-term online search capabilities stymied (Turpin). 2001;119:571 (Editorial)
A new direction for Ortho Bytes (Scholz). 2001;119:84
Orthodontic technolocity (Scholz). 2001;119:325-6
Three-dimensional onscreen virtual models (Marcel). 2001;119:666-8

Cooling
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73

Craniofacial growth and development
Considerations for orthognathic surgery during growth. Part 1: mandibular deformities (Wolford et al). 2001;119:95-101 (Clinical rev.)
Considerations for orthognathic surgery during growth. Part 2: maxillary deformities (Wolford et al). 2001;119:102-5 (Clinical rev.)

The orthodontist and complex craniofacial anomalies (Ross). 2001;119:92-4 (Commentary)

Cranium; *see* Skull

Crossbite

A bonded functional ramp to aid in asymmetric expansion of unilateral posterior crossbites (Kenworthy and Sheats). 2001;119:320-2 (Clin. corner)

Crowding; *see* Malocclusion

Crowns

Bracket positioning and resets: five steps to align crowns and roots consistently (Carlson and Johnson). 2001;119:76-80 (Clin. corner)

Cryopreservation

Revascularization after cryopreservation and autotransplantation of immature and mature apicoectomized teeth (Laureys et al). 2001;119:346-52

Cuspid; *see* Canine tooth

Cytokines

Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines (Alhashimi et al). 2001;119:307-12

D

Decalcification

Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62

Deciduous teeth; *see* Tooth, deciduous

Dental arch

Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001;119:336-7 (Commentary)

Comparison of dental arch measurements in the primary dentition between contemporary and historic samples (Warren and Bishara). 2001;119:211-5

Taking the guesswork out of mandibular symphyseal distraction osteogenesis (Braun et al). 2001;119:121-6

Where has all the arch length gone? (Turpin). 2001;119:201 (Editorial)

Dental enamel; *see* Enamel

Dental implants; *see* Implants

Dental stress analysis

An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model (Knox et al). 2001;119:43-53

Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504

Dentition, primary

Comparison of dental arch measurements in the primary dentition between contemporary and historic samples (Warren and Bishara). 2001;119:211-5

Where has all the arch length gone? (Turpin). 2001;119:201 (Editorial)

Diagnostics

Predicting and preventing root resorption: Part I. Diagnostic factors (Sameshima and Sinclair). 2001;119:505-10

Digital signal processing; *see* Signal processing, computer-assisted

Distraction osteogenesis; *see* Osteogenesis

Dogs

A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog (Ohmae et al). 2001;119:489-97

E

Ectopic eruption; *see* Tooth eruption, ectopic

Editorials

Creating a professional community—Online (Turpin). 2001;119:463

Interdisciplinary care leads the way (Turpin). 2001;119:335

Long-term online search capabilities stymied (Turpin). 2001;119:571

Orthodontics 2001—The Next Odyssey (Turpin). 2001;119:91

Where has all the arch length gone? (Turpin). 2001;119:201

Who moved my membership? (Turpin). 2001;119:1

Elasticity

The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73

Estimation of force produced by nickel-titanium superelastic arch wires at large deflections (Muravlev et al). 2001;119:604-9

Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91

Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93

Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces (Santoro et al). 2001;119:594-603

Enamel

Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62

Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42

Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5

Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

Esthetics

Incorporating retained deciduous teeth in orthodontic therapy (Kenworthy and Larson). 2001;119:202-10 (Case rep.)

A relatively minor adult case becomes significantly complex: a lesson in humility (Derakhshan and Sadowsky). 2001;119:546-53 (Case rep.)

Significance of the soft tissue profile on facial esthetics (Spyropoulos and Halazonetis). 2001;119:464-71

A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5

Expansion appliances; *see* Orthodontic appliances

Experimental model; *see* Models, theoretical

Extraction; *see* Tooth extraction

Extraoral traction appliances

Changes in mandibular growth direction during and after cervical headgear treatment (Kim and Muhl). 2001;119:522-30

Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9

Intraoral aging of the inner headgear component: a potential biocompatibility concern? (Eliades et al). 2001;119:300-6

F

Face

Considerations for orthognathic surgery during growth. Part 1: mandibular deformities (Wolford et al). 2001;119:95-101 (Clinical rev.)

Considerations for orthognathic surgery during growth. Part 2: maxillary deformities (Wolford et al). 2001;119:102-5 (Clinical rev.)

Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9

The orthodontist and complex craniofacial anomalies (Ross). 2001;119:92-4 (Commentary)

The potential role of stereolithography in the study of facial aging (Pessa). 2001;119:117-20

Significance of the soft tissue profile on facial esthetics (Spyropoulos and Halazonetis). 2001;119:464-71

Face bow; *see* Extraoral traction appliances

Facial muscles

Changes in orofacial muscle activity in response to changes in respiratory resistance (Song and Pae). 2001;119:436-42

Finite element analysis

An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model (Knox et al). 2001;119:43-53

Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504

Follow-up studies

Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation (Årtun and Grobéty). 2001;119:2-10

Forecasting

Predicting and preventing root resorption: Part I. Diagnostic factors (Sameshima and Sinclair). 2001;119:505-10

Predicting and preventing root resorption: Part II. Treatment factors (Sameshima and Sinclair). 2001;119:511-5

Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

Friction
A comparison between friction and frictionless mechanics with a new typodont simulation system (Rhee et al). 2001;119:292-9

G

Germs
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50
Glass ionomer cements
Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62
Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5
Glenoid fossa
Osteogenesis in the glenoid fossa in response to mandibular advancement (Rabie et al). 2001;119:390-400
Gold alloys
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91
Growth and development
Changes in mandibular growth direction during and after cervical headgear treatment (Kim and Muhl). 2001;119:522-30
A comparison of cranial base growth in Class I and Class II skeletal patterns (Wilhelm et al). 2001;119:401-5
Considerations for orthognathic surgery during growth. Part 1: mandibular deformities (Wolford et al). 2001;119:95-101 (Clinical rev.)
Considerations for orthognathic surgery during growth. Part 2: maxillary deformities (Wolford et al). 2001;119:102-5 (Clinical rev.)
Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9
Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25
The orthodontist and complex craniofacial anomalies (Ross). 2001;119:92-4 (Commentary)
Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern (Mojdehi et al). 2001;119:106-16
The potential role of stereolithography in the study of facial aging (Pessa). 2001;119:117-20
Growth hormone receptors; *see* Receptors, somatotropin

H

Hardware; *see* Computers
Headgear; *see* Extraoral traction appliances
Heating
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73
Hispanic Americans
Prevalence of malocclusion among Latino adolescents (Silva and Kang). 2001;119:313-5
Hyoid bone
Positional change of the hyoid bone after bilateral sagittal split osteotomy with rigid and wire fixation (Chung et al). 2001;119:382-9
Hypodontia; *see* Anodontia

I

Image processing, computer-assisted
Acquisition of 3-dimensional shapes from images (Halazonetis). 2001;119:556-60
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81
Impacted tooth; *see* Tooth, impacted
Implants
A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog (Ohmae et al). 2001;119:489-97
Treatment of a Class II Division 2 malocclusion with space reopening for a single-tooth implant (Sabri). 2001;119:135-42 (Case rep.)
In memoriam
Kaare Reitan, 1903-2000 (Rygh). 2001;119:196
Professor Beni Solow, 1934-2000 (Kjær and Fjellvang). 2001;119:83
Incisor
Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation (Årtun and Grobéty). 2001;119:2-10
Taking the guesswork out of mandibular symphyseal distraction osteogenesis (Braun et al). 2001;119:121-6
Treatment of a Class II Division 1 malocclusion with macrodontia of the maxillary central incisors (Hellekant et al). 2001;119:654-9 (Case rep.)
A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5
The use of palatal rugae for the assessment of anteroposterior tooth movements (Hoggan and Sadowsky). 2001;119:482-8
Informed consent
An affair to remember (Jerrold). 2001;119:327-9 (Litigation/legis./ethics)
Informed consent and contributory negligence (Jerrold). 2001;119:85-7 (Litigation/legis./ethics)
Interdisciplinary health team; *see* Patient care team
Interleukins
Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines (Alhashimi et al). 2001;119:307-12
Internet
Creating a professional community—Online (Turpin). 2001;119:463 (Editorial)
Long-term online search capabilities stymied (Turpin). 2001;119:571 (Editorial)

J

Japan
Growth hormone receptor gene variant and mandibular height in the normal Japanese population (Yamaguchi et al). 2001;119:650-3
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50
Jaw, edentulous
Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001;119:336-7 (Commentary)
Jaw relation record
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50
Judgment
An affair to remember (Jerrold). 2001;119:327-9 (Litigation/legis./ethics)
Jurisprudence
An affair to remember (Jerrold). 2001;119:327-9 (Litigation/legis./ethics)
Before, during, and after (Jerrold). 2001;119:561-2 (Litigation/legis./ethics)
Informed consent and contributory negligence (Jerrold). 2001;119:85-7 (Litigation/legis./ethics)
Sticks and stones (Jerrold). 2001;119:455-6 (Litigation/legis./ethics)
Subsequent remedial measures (Jerrold). 2001;119:669-71 (Litigation/legis./ethics)

L

Landmarks
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81
Latinos; *see* Hispanic Americans
LeFort I osteotomy; *see* Osteotomy
Light curing
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5
Rapid curing of bonding composite with a xenon plasma arc light (Oesterle et al). 2001;119:610-6
Lips
Chronic fissural cheilitis: a manifestation of anterior crowding (Kluemper et al). 2001;119:71-5 (Case rep.)

Litigation, legislation, and ethics
Litigation, legislation, and ethics. 2001;119:85-7, 327-9, 455-6, 561-2
Long-term effects; *see* Time

M

Macrodontia
Treatment of a Class II Division 1 malocclusion with macrodontia of the maxillary central incisors (Hellekant et al). 2001;119:654-9 (Case rep.)
Magnetic resonance imaging
Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study (Arat et al). 2001;119:316-9
Malocclusion
Chronic fissural cheilitis: a manifestation of anterior crowding (Kluemper et al). 2001;119:71-5 (Case rep.)
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50
Prevalence of malocclusion among Latino adolescents (Silva and Kang). 2001;119:313-5
Malocclusion, Angle Class I
A comparison of cranial base growth in Class I and Class II skeletal patterns (Wilhelm et al). 2001;119:401-5
The reliability of 3 sagittal reference planes in the assessment of Class I and Class III treatment (Palleck et al). 2001;119:426-35
Malocclusion, Angle Class II
Cephalometric markers to consider in the treatment of Class II Division 1 malocclusion with the bionator (Ahn et al). 2001;119:578-86
Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study (Arat et al). 2001;119:316-9
A comparison of cranial base growth in Class I and Class II skeletal patterns (Wilhelm et al). 2001;119:401-5
Comparison of two modifications of the Twin-block appliance in matched Class II samples (Parkin et al). 2001;119:572-7
Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25
Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001;119:368-81
Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18
Treatment of a Class II Division 1 malocclusion with macrodontia of the maxillary central incisors (Hellekant et al). 2001;119:654-9 (Case rep.)
Treatment of a Class II Division 2 malocclusion with space reopening for a single-tooth implant (Sabri). 2001;119:135-42 (Case rep.)
Malocclusion, Angle Class III
Cephalometric evaluation of craniofacial pattern of Syrian children with Class III malocclusion (Mouakeh). 2001;119:640-9
The reliability of 3 sagittal reference planes in the assessment of Class I and Class III treatment (Palleck et al). 2001;119:426-35
Malpractice
An affair to remember (Jerrold). 2001;119:327-9 (Litigation/legis./ethics)
Informed consent and contributory negligence (Jerrold). 2001;119:85-7 (Litigation/legis./ethics)
Mandible
Changes in mandibular growth direction during and after cervical headgear treatment (Kim and Muhl). 2001;119:522-30
A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog (Ohmae et al). 2001;119:489-97
Considerations for orthognathic surgery during growth. Part 1: mandibular deformities (Wolford et al). 2001;119:95-101 (Clinical rev.)
Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size (Orton-Gibbs et al). 2001;119:226-38
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44
Growth hormone receptor gene variant and mandibular height in the normal Japanese population (Yamaguchi et al). 2001;119:650-3
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)
Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation (Årtun and Grobéty). 2001;119:2-10
Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern (Mojdehi et al). 2001;119:106-16
Taking the guesswork out of mandibular symphyseal distraction osteogenesis (Braun et al). 2001;119:121-6
Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18
Mandibular advancement surgery
Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001;119:368-81
Osteogenesis in the glenoid fossa in response to mandibular advancement (Rabie et al). 2001;119:390-400
Positional change of the hyoid bone after bilateral sagittal split osteotomy with rigid and wire fixation (Chung et al). 2001;119:382-9
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67
Maxilla
A bonded functional ramp to aid in asymmetric expansion of unilateral posterior crossbites (Kenworthy and Sheats). 2001;119:320-2 (Clin. corner)
A comparison between friction and frictionless mechanics with a new typodont simulation system (Rhee et al). 2001;119:292-9
Considerations for orthognathic surgery during growth. Part 2: maxillary deformities (Wolford et al). 2001;119:102-5 (Clinical rev.)
Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9
Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size (Orton-Gibbs et al). 2001;119:226-38
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44
Factors that relate to treatment duration for patients with palatally impacted maxillary canines (Stewart et al). 2001;119:216-25
Maxillary tooth transpositions: characteristic features and accompanying dental anomalies (Shapira and Kuftinec). 2001;119:127-34
Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern (Mojdehi et al). 2001;119:106-16
Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18
Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504
Treatment of a Class II Division 1 malocclusion with macrodontia of the maxillary central incisors (Hellekant et al). 2001;119:654-9 (Case rep.)
A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5
Mechanical stress; *see* Stress, mechanical
Mental competency
An affair to remember (Jerrold). 2001;119:327-9 (Litigation/legis./ethics)
Models, theoretical
Experimental salivary pellicles on the surface of orthodontic materials (Lee et al). 2001;119:59-66
Three-dimensional on-screen virtual models (Marcel). 2001;119:666-8
The "Tip-Edge" torquing mechanism: a mathematical validation (Parkhouse and Parkhouse). 2001;119:632-9
Moisture
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5
Molar
Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9

A relatively minor adult case becomes significantly complex: a lesson in humility (Derakhshan and Sadowsky). 2001;119:546-53 (Case rep.)
Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18
Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504
The use of palatal rugae for the assessment of anteroposterior tooth movements (Hoggan and Sadowsky). 2001;119:482-8

Molar, third
Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size (Orton-Gibbs et al). 2001;119:226-38
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50

Monozygotic twins; *see* Twins, monozygotic

Mouth breathing
Changes in orofacial muscle activity in response to changes in respiratory resistance (Song and Pae). 2001;119:436-42

Mucous membranes
Chronic fissural cheilitis: a manifestation of anterior crowding (Kluemper et al). 2001;119:71-5 (Case rep.)

Muscles
Changes in orofacial muscle activity in response to changes in respiratory resistance (Song and Pae). 2001;119:436-42

N

Negligence; *see* Malpractice

Nickel
A comparison of dental and dentoalveolar changes between rapid palatal expansion and nickel-titanium palatal expansion appliances (Ciambotti et al). 2001;119:11-20
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73
Estimation of force produced by nickel-titanium superelastic arch wires at large deflections (Muraviev et al). 2001;119:604-9
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)
Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93
Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces (Santoro et al). 2001;119:594-603

O

Obituary
Kaare Reitan. 1903-2000 (Rygh). 2001;119:196
Professor Beni Solow. 1934-2000 (Kjær and Fjellvang). 2001;119:83

Occlusion
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44
Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18

Online systems
Creating a professional community—Online (Turpin). 2001;119:463 (Editorial)
Long-term online search capabilities stymied (Turpin). 2001;119:571 (Editorial)

Orofacial muscles
Changes in orofacial muscle activity in response to changes in respiratory resistance (Song and Pae). 2001;119:436-42

Orthodontic advancement
Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation (Årtun and Grobéty). 2001;119:2-10

Orthodontic appliances
A bonded functional ramp to aid in asymmetric expansion of unilateral posterior crossbites (Kenworthy and Sheats). 2001;119:320-2 (Clin. corner)
Bracket positioning and resets: five steps to align crowns and roots consistently (Carlson and Johnson). 2001;119:76-80 (Clin. corner)
Cephalometric markers to consider in the treatment of Class II Division 1 malocclusion with the bionator (Ahn et al). 2001;119:578-86
Changes in mandibular growth direction during and after cervical headgear treatment (Kim and Muhl). 2001;119:522-30
Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study (Arat et al). 2001;119:316-9
A comparison between friction and frictionless mechanics with a new typodont simulation system (Rhee et al). 2001;119:292-9
A comparison of dental and dentoalveolar changes between rapid palatal expansion and nickel-titanium palatal expansion appliances (Ciambotti et al). 2001;119:11-20
Comparison of two modifications of the Twin-block appliance in matched Class II samples (Parkin et al). 2001;119:572-7
Detection of apoptosis during orthodontic tooth movement in rats (Rana et al). 2001;119:516-21
Effects of cervical headgear and edgewise appliances on growing patients (Gandini et al). 2001;119:531-9
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)
Three-dimensional force systems from vertically activated orthodontic loops (Raboud et al). 2001;119:21-9

Orthodontic brackets
Bracket positioning and resets: five steps to align crowns and roots consistently (Carlson and Johnson). 2001;119:76-80 (Clin. corner)
Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62
Effect of using a self-etch primer/adhesive on the shear bond strength of orthodontic brackets (Bishara et al). 2001;119:621-4
An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model (Knox et al). 2001;119:43-53
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5
Tensile bond strength of ceramic orthodontic brackets bonded to porcelain surface (Kocadereli et al). 2001;119:617-20

Orthodontic materials
Experimental salivary pellicles on the surface of orthodontic materials (Lee et al). 2001;119:59-66

Orthodontic wires
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73
Enhancing wire-composite bond strength of bonded retainers with wire surface treatment (Oesterle et al). 2001;119:625-31
Estimation of force produced by nickel-titanium superelastic arch wires at large deflections (Muraviev et al). 2001;119:604-9
Intraoral aging of the inner headgear component: a potential biocompatibility concern? (Eliades et al). 2001;119:300-6
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91
Positional change of the hyoid bone after bilateral sagittal split osteotomy with rigid and wire fixation (Chung et al). 2001;119:382-9

Orthodontist
The orthodontist and complex craniofacial anomalies (Ross). 2001;119:92-4 (Commentary)

Orthognathic surgery
Considerations for orthognathic surgery during growth. Part 1: mandibular deformities (Wolford et al). 2001;119:95-101 (Clinical rev.)
Considerations for orthognathic surgery during growth. Part 2: maxillary deformities (Wolford et al). 2001;119:102-5 (Clinical rev.)
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

Osteogenesis
Osteogenesis in the glenoid fossa in response to mandibular advancement (Rabie et al). 2001;119:390-400

Taking the guesswork out of mandibular symphyseal distraction osteogenesis (Braun et al). 2001;119:121-6

Osteotomy

Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001; 119:368-81

Positional change of the hyoid bone after bilateral sagittal split osteotomy with rigid and wire fixation (Chung et al). 2001;119:382-9

Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern (Mojdehi et al). 2001;119:106-16

Outcome assessment

Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study (Arat et al). 2001;119:316-9

Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25

Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001;119:368-81

Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5

P

Palatal expansion technique

A bonded functional ramp to aid in asymmetric expansion of unilateral posterior crossbites (Kenworthy and Sheats). 2001;119:320-2 (Clin. corner)

A comparison of dental and dentoalveolar changes between rapid palatal expansion and nickel-titanium palatal expansion appliances (Ciambotti et al). 2001;119:11-20

Palate

Factors that relate to treatment duration for patients with palatally impacted maxillary canines (Stewart et al). 2001;119:216-25

The use of palatal rugae for the assessment of anteroposterior tooth movements (Hoggan and Sadowsky). 2001;119:482-8

Panoramic radiography; *see* Radiography, panoramic

Patient care team

Interdisciplinary care leads the way (Turpin). 2001;119:335 (Editorial)

Patient education

The use of educational-psychological principles in orthodontic practice (Rinchuse and Rinchuse). 2001;119:660-3 (Clin. corner)

Periodontal health

Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44

Periodontal ligament

Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504

Periodontics

Periodontal status of mandibular incisors after pronounced orthodontic advancement during adolescence: a follow-up evaluation (Årtun and Grobéty). 2001;119:2-10

Photography

Significance of the soft tissue profile on facial esthetics (Spyropoulos and Halazonetis). 2001;119:464-71

Porcelain

Tensile bond strength of ceramic orthodontic brackets bonded to porcelain surface (Kocadereli et al). 2001;119:617-20

Postoperative period

Postsurgical growth changes in the mandible of adolescents with vertical maxillary excess growth pattern (Mojdehi et al). 2001;119:106-16

Prediction; *see* Forecasting

Premolar

Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001; 119:336-7 (Commentary)

A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog (Ohmae et al). 2001; 119:489-97

Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45

Prevention and control

Predicting and preventing root resorption: Part I. Diagnostic factors (Sameshima and Sinclair). 2001;119:505-10

Predicting and preventing root resorption: Part II. Treatment factors (Sameshima and Sinclair). 2001;119:511-5

Primary dentition; *see* Dentition, primary

Primers

Effect of using a self-etch primer/adhesive on the shear bond strength of orthodontic brackets (Bishara et al). 2001;119:621-4

Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

Professional practice

Creating a professional community—Online (Turpin). 2001;119:463 (Editorial)

The use of educational-psychological principles in orthodontic practice (Rinchuse and Rinchuse). 2001;119:660-3 (Clin. corner)

Profile

Significance of the soft tissue profile on facial esthetics (Spyropoulos and Halazonetis). 2001;119:464-71

Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

Pseudoelasticity

Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93

Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces (Santoro et al). 2001;119:594-603

Psychological techniques

The use of educational-psychological principles in orthodontic practice (Rinchuse and Rinchuse). 2001;119:660-3 (Clin. corner)

R

Radiographic image enhancement

Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81

Radiography

Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45

Three-dimensional evaluation of skeletal and dental asymmetries in Class II subdivision malocclusions (Janson et al). 2001;119:406-18

Radiography, panoramic

Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size (Orton-Gibbs et al). 2001;119:226-38

Rapid palatal expansion; *see* Palatal expansion technique

Rats

Detection of apoptosis during orthodontic tooth movement in rats (Rana et al). 2001;119:516-21

Receptors, somatotropin

Growth hormone receptor gene variant and mandibular height in the normal Japanese population (Yamaguchi et al). 2001;119:650-3

Reitan, Kaare

Kaare Reitan, 1903-2000 (Rygh). 2001;119:196 (In memoriam)

Reproducibility of results

The reliability of 3 sagittal reference planes in the assessment of Class I and Class III treatment (Palleck et al). 2001;119:426-35

Research

Comparison of dental arch measurements in the primary dentition between contemporary and historic samples (Warren and Bishara). 2001;119:211-5

Prevalence of malocclusion among Latino adolescents (Silva and Kang). 2001;119:313-5

Where has all the arch length gone? (Turpin). 2001;119:201 (Editorial)

Resins

Comparative assessment of light-cured resin-modified glass ionomer and composite resin adhesives: in vitro study of a new adhesive system (Newman et al). 2001;119:256-62

Comparison of bond strength of three adhesives: composite resin, hybrid GIC, and glass-filled GIC (Rix et al). 2001;119:36-42

The effect of saliva on shear bond strengths of hydrophilic bonding systems (Webster et al). 2001;119:54-8

Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5

Enhancing wire-composite bond strength of bonded retainers with wire surface treatment (Oesterle et al). 2001;119:625-31
Rapid curing of bonding composite with a xenon plasma arc light (Oesterle et al). 2001;119:610-6
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

Respiratory resistance; *see* Airway resistance

Retainer
Enhancing wire-composite bond strength of bonded retainers with wire surface treatment (Oesterle et al). 2001;119:625-31
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)

Retention
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)

Retrognathism
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

Revascularization
Revascularization after cryopreservation and autotransplantation of immature and mature apicoectomized teeth (Laureys et al). 2001;119:346-52

Reviews
Reviews. 2001;119:88, 197-8, 330, 457, 563-6

Rigid fixation
Positional change of the hyoid bone after bilateral sagittal split osteotomy with rigid and wire fixation (Chung et al). 2001;119:382-9

Root resorption
Predicting and preventing root resorption: Part I. Diagnostic factors (Sameshima and Sinclair). 2001;119:505-10
Predicting and preventing root resorption: Part II. Treatment factors (Sameshima and Sinclair). 2001;119:511-5

S

Saliva
The effect of saliva on shear bond strengths of hydrophilic bonding systems (Webster et al). 2001;119:54-8
Experimental salivary pellicles on the surface of orthodontic materials (Lee et al). 2001;119:59-66

Shear bond strength; *see* Bond strength

Short communication
Short communication. 2001;119:313-9

Signal processing, computer-assisted
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81

Skull
A comparison of cranial base growth in Class I and Class II skeletal patterns (Wilhelm et al). 2001;119:401-5

Slander
Sticks and stones (Jerrold). 2001;119:455-6 (Litigation/legis./ethics)

Soft tissue
Significance of the soft tissue profile on facial esthetics (Spyropoulos and Halazonetis). 2001;119:464-71
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

Software
Cephalometric digitization: a determination of the minimum scanner settings necessary for precise landmark identification (Held et al). 2001;119:472-81
A new direction for Ortho Bytes (Scholz). 2001;119:84
Orthodontic technolocity (Scholz). 2001;119:325-6
Three-dimensional onscreen virtual models (Marcel). 2001;119:666-8

Solow, Beni
Professor Beni Solow, 1934-2000 (Kjær and Fjellvang). 2001;119:83 (In memoriam)

Specialties
Interdisciplinary care leads the way (Turpin). 2001;119:335 (Editorial)

Stainless steel
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

Stereolithography
The potential role of stereolithography in the study of facial aging (Pessa). 2001;119:117-20

Stress, mechanical
A comparison between friction and frictionless mechanics with a new typodont simulation system (Rhee et al). 2001;119:292-9
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73
Estimation of force produced by nickel-titanium superelastic arch wires at large deflections (Muraviev et al). 2001;119:604-9
An evaluation of the influence of orthodontic adhesive on the stresses generated in a bonded bracket finite element model (Knox et al). 2001;119:43-53
Mechanical characteristics of various tempers of as-received cobalt-chromium archwires (Kusy et al). 2001;119:274-91
Three-dimensional finite element analysis of stress in the periodontal ligament of the maxillary first molar with simulated bone loss (Jeon et al). 2001;119:498-504

Supernumerary tooth; *see* Tooth, supernumerary

Syria
Cephalometric evaluation of craniofacial pattern of Syrian children with Class III malocclusion (Mouakeh). 2001;119:640-9

T

Techno bytes
Techno bytes. 2001;119:84, 325-6, 452-4, 556-60

Technology
Acquisition of 3-dimensional shapes from images (Halazonetis). 2001;119:556-60
ASP: an idea before its time—or is it time? (Case). 2001;119:452-4
A new direction for Ortho Bytes (Scholz). 2001;119:84
Orthodontic technolocity (Scholz). 2001;119:325-6
Three-dimensional onscreen virtual models (Marcel). 2001;119:666-8

Temperature
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73
Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93

Temporomandibular joint
Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study (Arat et al). 2001;119:316-9

Tensile strength; *see* Bond strength

Thermodynamics
Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93
Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces (Santoro et al). 2001;119:594-603

Third molar; *see* Molar, third

Time
Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001;119:368-81
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67

Titanium
A clinical and histological evaluation of titanium mini-implants as anchors for orthodontic intrusion in the beagle dog (Ohmae et al). 2001;119:489-97
A comparison of dental and dentoalveolar changes between rapid palatal expansion and nickel-titanium palatal expansion appliances (Ciambotti et al). 2001;119:11-20
The effect of short-term temperature changes on superelastic nickel-titanium archwires activated in orthodontic bending (Meling and Ødegaard). 2001;119:263-73
Estimation of force produced by nickel-titanium superelastic arch wires at large deflections (Muraviev et al). 2001;119:604-9
Nickel-titanium mandibular bonded lingual 3-3 retainer: for permanent retention and solving relapse of mandibular anterior crowding (Liou et al). 2001;119:443-9 (Clin. corner)
Pseudoelasticity and thermoelasticity of nickel titanium alloys: a clinically

oriented review. Part I. temperature transitional ranges (Santoro et al). 2001;119:587-93
Pseudoelasticity and thermoelasticity of nickel titanium alloys: Part II. deactivation forces (Santoro et al). 2001;119:594-603

Tooth, deciduous
Incorporating retained deciduous teeth in orthodontic therapy (Kenworthy and Larson). 2001;119:202-10 (Case rep.)

Tooth, impacted
Factors that relate to treatment duration for patients with palatally impacted maxillary canines (Stewart et al). 2001;119:216-25
Similar locations of impacted and supernumerary teeth in monozygotic twins: a report of 2 cases (Łangowska-Adamczyk and Karmańska). 2001;119:67-70

Tooth, supernumerary
Similar locations of impacted and supernumerary teeth in monozygotic twins: a report of 2 cases (Łangowska-Adamczyk and Karmańska). 2001;119:67-70

Tooth crowding; *see* Malocclusion

Tooth eruption
Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size (Orton-Gibbs et al). 2001;119:226-38
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44
Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45

Tooth eruption, ectopic
Maxillary tooth transpositions: characteristic features and accompanying dental anomalies (Shapira and Kuftinec). 2001;119:127-34
A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5

Tooth extraction
Eruption of third permanent molars after the extraction of second permanent molars. Part 1: assessment of third molar position and size (Orton-Gibbs et al). 2001;119:226-38
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44

Tooth germ
Presence of third molar germs in orthodontic patients in Japan (Kajii et al). 2001;119:245-50

Tooth luxation
Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001;119:336-7 (Commentary)

Tooth movement
A comparison between friction and frictionless mechanics with a new typodont simulation system (Rhee et al). 2001;119:292-9
Detection of apoptosis during orthodontic tooth movement in rats (Rana et al). 2001;119:516-21
Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines (Alhashimi et al). 2001;119:307-12
The use of palatal rugae for the assessment of anteroposterior tooth movements (Hoggan and Sadowsky). 2001;119:482-8

Tooth resorption
Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001;119:336-7 (Commentary)

Tooth root
Bracket positioning and resets: five steps to align crowns and roots consistently (Carlson and Johnson). 2001;119:76-80 (Clin. corner)

Tooth wear
Eruption of third permanent molars after the extraction of second permanent molars. Part 2: functional occlusion and periodontal status (Orton-Gibbs et al). 2001;119:239-44

Torque
The "Tip-Edge" torquing mechanism: a mathematical validation (Parkhouse and Parkhouse). 2001;119:632-9

Transplantation, autologous
Autotransplantation of teeth in orthodontic treatment (Paulsen). 2001;119:336-7 (Commentary)
Eruption pattern of autotransplanted premolars visualized by radiographic color-coding (Paulsen et al). 2001;119:338-45
Interdisciplinary care leads the way (Turpin). 2001;119:335 (Editorial)
Revascularization after cryopreservation and autotransplantation of immature and mature apicoectomized teeth (Laureys et al). 2001;119:346-52

Transposition; *see* Tooth eruption, ectopic

Treatment duration
Factors that relate to treatment duration for patients with palatally impacted maxillary canines (Stewart et al). 2001;119:216-25

Treatment outcome
Changes in the TMJ disc-condyle-fossa relationship following functional treatment of skeletal Class II Division 1 malocclusion: a magnetic resonance imaging study (Arat et al). 2001;119:316-9
Localization of mandibular changes in patients with Class II Division 1 malocclusions treated with Twin-block appliances: finite element scaling analysis (Singh and Clark). 2001;119:419-25
Mandibular advancement surgery in high-angle and low-angle Class II patients: different long-term skeletal responses (Mobarak et al). 2001;119:368-81
Soft tissue profile changes following mandibular advancement surgery: predictability and long-term outcome (Mobarak et al). 2001;119:353-67
A unique treatment approach for maxillary canine-lateral incisor transposition (Shapira et al). 2001;119:540-5

Treatment planning
A relatively minor adult case becomes significantly complex: a lesson in humility (Derakhshan and Sadowsky). 2001;119:546-53 (Case rep.)

Tumor necrosis factor
Orthodontic tooth movement and de novo synthesis of proinflammatory cytokines (Alhashimi et al). 2001;119:307-12

Twin-block appliance; *see* Orthodontic appliances

Twins, monozygotic
Similar locations of impacted and supernumerary teeth in monozygotic twins: a report of 2 cases (Łangowska-Adamczyk and Karmańska). 2001;119:67-70

U

Ultraviolet rays
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5

V

Validity; *see* Reproducibility of results

Vertical dimension
Comparison of dental arch measurements in the primary dentition between contemporary and historic samples (Warren and Bishara). 2001;119:211-5
Growth hormone receptor gene variant and mandibular height in the normal Japanese population (Yamaguchi et al). 2001;119:650-3
Three-dimensional force systems from vertically activated orthodontic loops (Raboud et al). 2001;119:21-9

Virtual models
Three-dimensional onscreen virtual models (Marcel). 2001;119:666-8

W

Wettability
Shear bond strength of stainless steel orthodontic brackets with a moisture-insensitive primer (Grandhi et al). 2001;119:251-5

Wire fixation; *see* Orthodontic wires

Wits analysis
The reliability of 3 sagittal reference planes in the assessment of Class I and Class III treatment (Palleck et al). 2001;119:426-35

X

Xenon
Effects of conventional and high-intensity light-curing on enamel shear bond strength of composite resin and resin-modified glass-ionomer (Sfondrini et al). 2001;119:30-5
Rapid curing of bonding composite with a xenon plasma arc light (Oesterle et al). 2001;119:610-6